



the lines  
company

# Pricing Schedule

For 1 April 2024

Waitomo Energy Services Customer Trust (WESCT) Customers

# The Lines Company Prices for WESCT Customers from 1 April 2024

## Introduction

This document details The Lines Company prices for WESCT Customers and should be read alongside our other pricing documents, the Pricing Methodology and Price-Setting Compliance Statement.

## Explanation for price changes

Last year TLC was required to reduce its revenue, meaning lines charges for customers slightly reduced or stayed largely the same – but inflation has now caught up. TLC is now in the position where we must pass some of those costs on so we can continue to provide a safe and reliable service across the network.

There will also be a bigger discount in the coming year to beneficiaries of TLC's shareholder, the Waitomo Energy Services Customer Trust (WESCT). TLC is budgeting \$5.2 million for a discount this year – up from \$4.3 million in 2023/24 being a 21 per cent increase for customers in the northern part of the network.

Price changes will come into effect from 1 April 2024. During April and May, TLC's customer team will be on the road across the network, showing people how to save on energy costs.

The following page details a map showing the network areas.



If you have a complaint, please call 0800 367 546 or email [info@thelines.co.nz](mailto:info@thelines.co.nz) to access our free complaints process. If we cannot resolve your complaint, you can contact Utilities Disputes on 0800 22 33 40 or visit their website [www.udl.co.nz](http://www.udl.co.nz). Utilities Disputes is a free and independent service for resolving complaints about utilities providers.





Anytime Delivery Prices (N Code)										
Customer Group	Price Category Code	Number of ICPs	Density	Load	1 April 2024 Daily Delivery	1 April 2024 Daily TLC Discount*	1 April 2024 Daily Delivery less TLC Discount	1 April 2024 Anytime Delivery	1 April 2024 Anytime TLC Discount*	1 April 2024 Anytime Delivery less TLC Discount
					\$ per day	\$ per day	\$ per day	\$ per kWh	\$ per kWh	\$ per kWh
Residential Low Fixed Charge	RNLFCHC	30	High	Controlled	0.6000	- 0.1089	0.4911	0.1246	- 0.0224	0.1022
	RNLFCLC	7	Low		0.6000	- 0.1192	0.4808	0.1748	- 0.0331	0.1417
	RNLFCHU	2	High	Uncontrolled	0.6000	- 0.1089	0.4911	0.1439	- 0.0258	0.1181
	RNLFCLU	3	Low		0.6000	- 0.1192	0.4808	0.1941	- 0.0365	0.1576
Residential Standard	RNSTDHCHC	31	High	Controlled	1.5000	- 0.2723	1.2277	0.0836	- 0.0150	0.0686
	RNSTDLC	6	Low		2.6000	- 0.5164	2.0836	0.0836	- 0.0150	0.0686
	RNSTDHU	-	High	Uncontrolled	1.5000	- 0.2723	1.2277	0.1029	- 0.0184	0.0845
	RNSTDLU	2	Low		2.6000	- 0.5164	2.0836	0.1029	- 0.0184	0.0845
General	GN15HC	5	High	Controlled	2.1500	- 0.4407	1.7093	0.0876	- 0.0157	0.0719
	GN15LC	1	Low		2.9000	- 0.6181	2.2819	0.0876	- 0.0157	0.0719
	GN15HU	26	High	Uncontrolled	2.1500	- 0.4407	1.7093	0.1118	- 0.0200	0.0918
	GN15LU	29	Low		2.9000	- 0.6181	2.2819	0.1118	- 0.0200	0.0918
	GN30HC	1	High	Controlled	4.5000	- 0.8012	3.6988	0.0871	- 0.0156	0.0715
	GN30LC	-	Low		5.5000	- 1.0289	4.4711	0.0871	- 0.0156	0.0715
	GN30HU	5	High	Uncontrolled	4.5000	- 0.8012	3.6988	0.0941	- 0.0168	0.0773
	GN30LU	-	Low		5.5000	- 1.0289	4.4711	0.0941	- 0.0168	0.0773
	GN70H	4	High	n/a	10.0000	- 1.7992	8.2008	0.0805	- 0.0144	0.0661
	GN70L	-	Low		12.5000	- 2.3084	10.1916	0.0805	- 0.0144	0.0661
	GN150H	-	High	n/a	22.0000	- 4.0418	17.9582	0.0717	- 0.0128	0.0589
	GN150L	-	Low		26.5000	- 5.0233	21.4767	0.0717	- 0.0128	0.0589
Dairy	DN15HC	-	High	Controlled	2.1500	- 0.4407	1.7093	0.0876	- 0.0157	0.0719
	DN15LC	-	Low		2.9000	- 0.6181	2.2819	0.0876	- 0.0157	0.0719
	DN15HU	-	High	Uncontrolled	2.1500	- 0.4407	1.7093	0.1118	- 0.0200	0.0918
	DN15LU	-	Low		2.9000	- 0.6181	2.2819	0.1118	- 0.0200	0.0918
	DN30HC	-	High	Controlled	4.5000	- 0.8012	3.6988	0.0821	- 0.0147	0.0674
	DN30LC	-	Low		5.5000	- 1.0289	4.4711	0.0821	- 0.0147	0.0674
	DN30HU	1	High	Uncontrolled	4.5000	- 0.8012	3.6988	0.0882	- 0.0158	0.0724
	DN30LU	-	Low		5.5000	- 1.0289	4.4711	0.0882	- 0.0158	0.0724
	DN70H	1	High	n/a	10.0000	- 1.7992	8.2008	0.0750	- 0.0134	0.0616
	DN70L	-	Low		12.5000	- 2.3084	10.1916	0.0750	- 0.0134	0.0616
	DN150H	-	High	n/a	21.5000	- 3.9115	17.5885	0.0666	- 0.0119	0.0547
	DN150L	1	Low		26.2500	- 4.9582	21.2918	0.0666	- 0.0119	0.0547
Temporary Accommodation	TN15HC	1	High	Controlled	3.0000	- 0.6620	2.3380	0.0876	- 0.0157	0.0719
	TN15LC	1	Low		4.0000	- 0.9045	3.0955	0.0876	- 0.0157	0.0719
	TN15HU	2	High	Uncontrolled	3.0000	- 0.6620	2.3380	0.1118	- 0.0200	0.0918
	TN15LU	3	Low		4.0000	- 0.9045	3.0955	0.1118	- 0.0200	0.0918
	TN30HC	-	High	Controlled	6.0000	- 1.1918	4.8082	0.0871	- 0.0156	0.0715
	TN30LC	-	Low		7.5000	- 1.5498	5.9502	0.0871	- 0.0156	0.0715
	TN30HU	-	High	Uncontrolled	6.0000	- 1.1918	4.8082	0.0941	- 0.0168	0.0773
	TN30LU	-	Low		7.5000	- 1.5498	5.9502	0.0941	- 0.0168	0.0773
	TN70H	-	High	n/a	12.3000	- 2.3982	9.9018	0.0790	- 0.0142	0.0648
	TN70L	-	Low		15.3000	- 3.0376	12.2624	0.0790	- 0.0142	0.0648
	TN150H	-	High	n/a	26.0000	- 5.0834	20.9166	0.0702	- 0.0126	0.0576
	TN150L	-	Low		32.0000	- 6.4556	25.5444	0.0702	- 0.0126	0.0576

**The Lines Company Limited**  
**Pricing Schedule Capacity and Dedicated Asset Customers (WESCT)**  
**Effective 1 April 2024 (prices exclude GST)**

Point of Supply	Description	no. of ICPs	Network, Capacity, Dedicated Asset and Non-Standard Prices													
			Connection \$/kVA/annum				Residual \$/kVA/annum		Distribution \$/kVA/annum							
			previous pass-through	previous transmission	pass-through from 1 April 2024	transmission from 1 April 2024	previous transmission	from 1 April 2024	previous	previous TLC Discount	previous after TLC Discount	from 1 April 2024	TLC Discount from 1 April 2024	from 1 April 2024 after TLC Discount		
Hangatiki	Hangatiki 11 kV	25	5.99	6.17	2.50	2.45	67.58	54.54	115.73	-	22.76	92.97	127.30	-	33.15	94.15
	Hangatiki 33 kV		5.99	6.17	2.50	2.45	67.58	54.54	70.21	-	13.81	56.40	77.23	-	20.11	57.12
	Hangatiki Stepped		5.99	6.17	2.50	2.45	67.58	54.54	86.81	-	17.07	69.74	95.49	-	24.87	70.62
	Non-standard		5.99	6.17	2.50	2.45	67.58	54.54	varies	varies	varies	varies	varies	varies	varies	varies
Whakamaru	Whakamaru 11 kV	6	-	-	2.50	-	-	54.54	227.63	-	44.77	182.86	204.87	-	53.35	151.52
	Non-standard		-	-	2.50	-	-	54.54	varies	varies	varies	varies	varies	varies	varies	varies

Transformer	no. of transformers	Dedicated Transformer Prices							Billing Prices						
		\$ per annum							\$ per annum						
		previous	previous TLC Discount	previous after TLC Discount	from 1 April 2024	TLC Discount from 1 April 2024	from 1 April 2024 after TLC Discount			previous	previous TLC Discount	previous after TLC Discount	from 1 April 2024	TLC Discount from 1 April 2024	from 1 April 2024 after TLC Discount
5 kVA	-	316.04	-	62.15	253.89	347.64	-	90.53	257.11						
10 kVA	-	524.42	-	103.13	421.29	576.86	-	150.23	426.63						
15 kVA	2	718.40	-	141.28	577.12	790.24	-	205.80	584.44						
30 kVA	-	951.40	-	187.10	764.30	1,046.54	-	272.54	774.00						
50 kVA	4	1,054.38	-	207.35	847.03	1,159.82	-	302.04	857.78						
75 kVA	-	1,286.49	-	253.00	1,033.49	1,415.14	-	368.54	1,046.60						
100 kVA	2	1,437.83	-	282.76	1,155.07	1,581.61	-	411.89	1,169.72						
200 kVA	5	2,477.83	-	487.29	1,990.54	2,725.61	-	709.81	2,015.80						
300 kVA	5	2,990.53	-	588.12	2,402.41	3,289.58	-	856.69	2,432.89						
500 kVA	17	3,501.56	-	688.61	2,812.95	3,851.72	-	1,003.08	2,848.64						
750 kVA	7	4,203.43	-	826.64	3,376.79	4,623.77	-	1,204.14	3,419.63						
1000 kVA	2	4,739.09	-	931.99	3,807.10	5,213.00	-	1,357.59	3,855.41						
1250 kVA	-	5,006.74	-	984.62	4,022.12	5,507.41	-	1,434.26	4,073.15						
1500 kVA	4	5,636.55	-	1,108.48	4,528.07	6,200.21	-	1,614.68	4,585.53						

Price Category Code	no. of ICPs	Unmetered Load Prices												
		\$ per day												
		previous transmission component	previous distribution component	previous delivery	previous TLC Discount	previous delivery after TLC Discount	from 1 April 2024 pass-through component	from 1 April 2024 transmission component	from 1 April 2024 distribution component	from 1 April 2024 delivery	from 1 April 2024 TLC Discount	from 1 April 2024 delivery after TLC Discount		
UML1	1	0.0059	0.1342	0.1401	-	0.0264	0.1137	0.0025	0.0203	0.1313	0.1541	-	0.0342	0.1199
UML2	33	0.0152	0.3470	0.3622	-	0.0682	0.2940	0.0064	0.0526	0.3394	0.3984	-	0.0884	0.3100
UML3	2	0.0323	0.7346	0.7669	-	0.1445	0.6224	0.0136	0.1114	0.7187	0.8436	-	0.1872	0.6564
UML4	3	0.0450	1.0254	1.0704	-	0.2017	0.8688	0.0189	0.1554	1.0030	1.1774	-	0.2612	0.9162
UML5	1	0.0653	1.4874	1.5527	-	0.2925	1.2602	0.0275	0.2255	1.4551	1.7080	-	0.3789	1.3291
UML6	-	0.0913	2.0794	2.1707	-	0.4089	1.7618	0.0384	0.3152	2.0342	2.3878	-	0.5298	1.8580
UML7	-	0.1132	2.5764	2.6896	-	0.5067	2.1829	0.0476	0.3905	2.5205	2.9586	-	0.6564	2.3022
UML8	1	0.1493	3.3997	3.5490	-	0.6686	2.8804	0.0628	0.5153	3.3258	3.9039	-	0.8661	3.0378
UML9	-	0.1896	4.3162	4.5058	-	0.8488	3.6570	0.0797	0.6542	4.2224	4.9564	-	1.0996	3.8568
UML10	1	0.8000	18.2150	19.0150	-	3.5822	15.4329	0.3365	2.7609	17.8190	20.9165	-	4.6405	16.2760
UML11	1	3.0019	68.3462	71.3481	-	13.4409	57.9071	1.2627	10.3596	66.8606	78.4829	-	17.4121	61.0708
UML12	1	4.9591	112.9090	117.8681	-	22.2046	95.6635	2.0860	17.1142	110.4547	129.6549	-	28.7650	100.8899
UML13	-	6.2862	143.1247	149.4109	-	28.1468	121.2641	2.6443	21.6942	140.0136	164.3520	-	36.4629	127.8891
UML14	1	13.6102	309.8773	323.4875	-	60.9403	262.5473	5.7251	46.9697	303.1415	355.8363	-	78.9453	276.8910
UML15	-	19.5799	445.7961	465.3760	-	87.6700	377.7060	8.2362	67.5717	436.1057	511.9136	-	113.5724	398.3412

**The Lines Company Limited**  
**Pricing Schedule Common Prices and Fees**  
**Effective 1 April 2024 (prices exclude GST)**

Distributed Generation Fees*		
Description of fee	\$ (exclusive of GST)	
	previous	from 1 April 2024
<b>Part 1 of Schedule 6.1 application</b>		
Application fee under clause 2(2)(c)	200.00	200.00
Fee for observation of testing and inspection under clause 7(5)	60.00	60.00
<b>Part 1A of Schedule 6.1 application</b>		
Application fee under clause 9B(2)(c)	100.00	100.00
Fee for inspection under clause 9C(3)	60.00	60.00
Deficiency fee under clause 9E(4)	80.00	80.00
<b>Part 2 of Schedule 6.1 application</b>		
Application fee for distributed generation with nameplate capacity of more than 10 kW but less than 100 kW under clause 11(2)(c)	500.00	500.00
Application fee for distributed generation with nameplate capacity of 100 kW or more in total but less than 1 MW under clause 11(2)(c)	1,000.00	1,000.00
Application fee for distributed generation with nameplate capacity of 1 MW or more under clause 11(2)(c)	5,000.00	5,000.00
Fee for observation of testing and inspection of distributed generation with nameplate capacity of more than 10 kW but less than 100 kW under clause 22(5)	120.00	120.00
Fee for observation of testing and inspection of distributed generation with nameplate capacity of 100 kW or more under clause 22(5)	1,200.00	1,200.00

\*Fees replicated from Schedule 6.5, Prescribed maximum fees, Electricity Industry Participation Code 2010

[Part 6 \(ea.govt.nz\)](#)

Daily Time of Use (T Code) \$ per day																		
Customer Group	Price Category Code	Number of ICPs	Density	Load	Previous Distribution Price	Previous TLC Discount*	Previous Transmission	Previous Pass-through	Previous Delivery	Previous Delivery less TLC Discount*	from 1 April 2024 Distribution Price	from 1 April 2024 TLC Discount*	from 1 April 2024 Transmission	from 1 April 2024 Pass-through	from 1 April 2024 Delivery	from 1 April 2024 Delivery less TLC Discount*		
Residential Low Fixed Charge	RTLFCHC	2,259	High	Controlled	0.4500	-	0.0885	-	-	0.4500	0.3615	0.4182	-	0.1089	0.1551	0.0267	0.6000	0.4911
	RTLFLCLC	685	Low		0.4500	-	0.0885	-	-	0.4500	0.3615	0.4576	-	0.1192	0.1215	0.0209	0.6000	0.4808
	RTLFCHU	413	High	Uncontrolled	0.4500	-	0.0885	-	-	0.4500	0.3615	0.4182	-	0.1089	0.1551	0.0267	0.6000	0.4911
	RTLFCLU	209	Low		0.4500	-	0.0885	-	-	0.4500	0.3615	0.4576	-	0.1192	0.1215	0.0209	0.6000	0.4808
	RTSTDHC	2,074	High	Controlled	0.8663	-	0.1704	0.1300	-	0.9963	0.8259	1.0455	-	0.2723	0.3877	0.0668	1.5000	1.2277
	RTSTDLC	1,010	Low		1.6170	-	0.3180	0.1500	-	1.7670	1.4490	1.9830	-	0.5164	0.5263	0.0907	2.6000	2.0836
	RTSTDHU	349	High	Uncontrolled	0.8663	-	0.1704	0.1300	-	0.9963	0.8259	1.0455	-	0.2723	0.3877	0.0668	1.5000	1.2277
	RTSTDLU	253	Low		1.6170	-	0.3180	0.1500	-	1.7670	1.4490	1.9830	-	0.5164	0.5263	0.0907	2.6000	2.0836
Residential Standard	GT15HC	226	High	Controlled	1.4835	-	0.2917	0.1294	-	1.6129	1.3212	1.6921	-	0.4407	0.3906	0.0673	2.1500	1.7093
	GT15LC	149	Low		2.1016	-	0.4133	0.1057	-	2.2073	1.7940	2.3733	-	0.6181	0.4493	0.0774	2.9000	2.2819
	GT15HU	1,119	High	Uncontrolled	1.4835	-	0.2917	0.1294	-	1.6129	1.3212	1.6921	-	0.4407	0.3906	0.0673	2.1500	1.7093
	GT15LU	1,261	Low		2.1016	-	0.4133	0.1057	-	2.2073	1.7940	2.3733	-	0.6181	0.4493	0.0774	2.9000	2.2819
	GT30HC	33	High	Controlled	2.9670	-	0.5835	0.7118	-	3.6788	3.0953	3.0764	-	0.8012	1.2143	0.2093	4.5000	3.6988
	GT30LC	9	Low		3.8942	-	0.7658	0.6219	-	4.5161	3.7503	3.9510	-	1.0289	1.3213	0.2277	5.5000	4.4711
	GT30HU	131	High	Uncontrolled	2.9670	-	0.5835	0.7118	-	3.6788	3.0953	3.0764	-	0.8012	1.2143	0.2093	4.5000	3.6988
	GT30LU	44	Low		3.8942	-	0.7658	0.6219	-	4.5161	3.7503	3.9510	-	1.0289	1.3213	0.2277	5.5000	4.4711
General	GT70H	70	High	n/a	6.6758	-	1.3129	1.5016	-	8.1774	6.8645	6.9088	-	1.7992	2.6368	0.4544	10.0000	8.2008
	GT70L	17	Low		8.9010	-	1.7505	1.4427	-	10.3437	8.5932	8.8642	-	2.3084	3.1013	0.5345	12.5000	10.1916
	GT150H	24	High		13.9079	-	2.7351	4.5830	-	18.4909	15.7558	15.5199	-	4.0418	5.5275	0.9526	22.0000	17.9582
	GT150L	1	Low		18.2965	-	3.5982	4.3097	-	22.6062	19.0080	19.2890	-	5.0233	6.1510	1.0600	26.5000	21.4767
	DT15HC	12	High	Controlled	1.3860	-	0.2726	0.3413	-	1.7273	1.4547	1.6921	-	0.4407	0.3906	0.0673	2.1500	1.7093
	DT15LC	6	Low		1.9635	-	0.3861	0.4321	-	2.3956	2.0095	2.3733	-	0.6181	0.4493	0.0774	2.9000	2.2819
	DT15HU	12	High	Uncontrolled	1.3860	-	0.2726	0.3413	-	1.7273	1.4547	1.6921	-	0.4407	0.3906	0.0673	2.1500	1.7093
	DT15LU	7	Low		1.9635	-	0.3861	0.4321	-	2.3956	2.0095	2.3733	-	0.6181	0.4493	0.0774	2.9000	2.2819
Dairy	DT30HC	27	High	Controlled	2.7143	-	0.5338	1.2192	-	3.9335	3.3997	3.0764	-	0.8012	1.2143	0.2093	4.5000	3.6988
	DT30LC	11	Low		3.5228	-	0.6928	1.3213	-	4.8441	4.1513	3.9510	-	1.0289	1.3213	0.2277	5.5000	4.4711
	DT30HU	25	High	Uncontrolled	2.7143	-	0.5338	1.2192	-	3.9335	3.3997	3.0764	-	0.8012	1.2143	0.2093	4.5000	3.6988
	DT30LU	16	Low		3.5228	-	0.6928	1.3213	-	4.8441	4.1513	3.9510	-	1.0289	1.3213	0.2277	5.5000	4.4711
	DT70H	116	High	n/a	5.9483	-	1.1698	2.1830	-	8.1313	6.9615	6.9088	-	1.7992	2.6368	0.4544	10.0000	8.2008
	DT70L	137	Low		7.9118	-	1.5559	2.4621	-	10.3739	8.8180	8.8642	-	2.3084	3.1013	0.5345	12.5000	10.1916
	DT150H	14	High		12.4163	-	2.4418	3.5548	-	15.9711	13.5293	15.0199	-	3.9115	5.5275	0.9526	21.5000	17.5885
	DT150L	34	Low		16.1700	-	3.1800	4.7031	-	20.8731	17.6931	19.0390	-	4.9582	6.1510	1.0600	26.2500	21.2918
Temporary Accommodation	TT15HC	192	High	Controlled	2.2444	-	0.4414	0.0997	-	2.3441	1.9027	2.5421	-	0.6620	0.3906	0.0673	3.0000	2.3380
	TT15LC	110	Low		3.1894	-	0.6272	0.0854	-	3.2748	2.6476	3.4733	-	0.9045	0.4493	0.0774	4.0000	3.0955
	TT15HU	90	High	Uncontrolled	2.2444	-	0.4414	0.0997	-	2.3441	1.9027	2.5421	-	0.6620	0.3906	0.0673	3.0000	2.3380
	TT15LU	193	Low		3.1894	-	0.6272	0.0854	-	3.2748	2.6476	3.4733	-	0.9045	0.4493	0.0774	4.0000	3.0955
	TT30HC	4	High	Controlled	4.5478	-	0.8944	0.4204	-	4.9682	4.0738	4.5764	-	1.1918	1.2143	0.2093	6.0000	4.8082
	TT30LC	-	Low		5.9653	-	1.1731	0.4133	-	6.3786	5.2055	5.9510	-	1.5498	1.3213	0.2277	7.5000	5.9502
	TT30HU	9	High	Uncontrolled	4.5478	-	0.8944	0.4204	-	4.9682	4.0738	4.5764	-	1.1918	1.2143	0.2093	6.0000	4.8082
	TT30LU	2	Low		5.9653	-	1.1731	0.4133	-	6.3786	5.2055	5.9510	-	1.5498	1.3213	0.2277	7.5000	5.9502
	TT70H	3	High	n/a	10.0406	-	1.9746	1.3510	-	11.3916	9.4170	9.2088	-	2.3982	2.6368	0.4544	12.3000	9.9018
	TT70L	1	Low		13.4072	-	2.6367	0.7744	-	14.1816	11.5449	11.6642	-	3.0376	3.1013	0.5345	15.3000	12.2624
	TT150H	1	High		20.6719	-	4.0653	3.5335	-	24.2054	20.1401	19.5199	-	5.0834	5.5275	0.9526	26.0000	20.9166
	TT150L	1	Low		27.7594	-	5.4591	2.2692	-	30.0286	24.5695	24.7890	-	6.4556	6.1510	1.0600	32.0000	25.5444

Peak Time of Use (T Code) \$ per kWh																		
Customer Group	Price Category Code	Number of ICPs	Density	Load	Previous Distribution Price	Previous TLC Discount*	Previous Transmission	Previous Pass-through	Previous Delivery	Previous Delivery less TLC Discount*	from 1 April 2024 Distribution Price	from 1 April 2024 TLC Discount*	from 1 April 2024 Transmission	from 1 April 2024 Pass-through	from 1 April 2024 Delivery	from 1 April 2024 Delivery less TLC Discount*		
Residential Low Fixed Charge	RTLFCHC	2,259	High	Controlled	0.1223	-	0.0241	0.0134	0.0052	0.1409	0.1168	0.1423	-	0.0274	0.0070	0.0012	0.1505	0.1231
	RTLFCLC	685	Low		0.1565	-	0.0308	0.0143	0.0052	0.1760	0.1452	0.1836	-	0.0386	0.0146	0.0025	0.2007	0.1621
	RTLFCHU	413	High	Uncontrolled	0.1780	-	0.0350	0.0134	0.0052	0.1966	0.1616	0.1948	-	0.0372	0.0070	0.0012	0.2030	0.1658
	RTLFCLU	209	Low		0.2122	-	0.0417	0.0143	0.0052	0.2317	0.1900	0.2361	-	0.0490	0.0146	0.0025	0.2532	0.2042
	RTSTDHC	2,074	High	Controlled	0.1033	-	0.0203	0.0075	0.0052	0.1160	0.0957	0.1095	-	0.0196	-	-	0.1095	0.0899
	RTSTDLC	1,010	Low		0.1033	-	0.0203	0.0075	0.0052	0.1160	0.0957	0.1095	-	0.0196	-	-	0.1095	0.0899
	RTSTDHU	349	High	Uncontrolled	0.1590	-	0.0313	0.0075	0.0052	0.1717	0.1404	0.1620	-	0.0290	-	-	0.1620	0.1330
	RTSTDLU	253	Low		0.1590	-	0.0313	0.0075	0.0052	0.1717	0.1404	0.1620	-	0.0290	-	-	0.1620	0.1330
General	GT15HC	226	High	Controlled	0.1033	-	0.0203	0.0075	0.0052	0.1160	0.0957	0.1120	-	0.0201	-	-	0.1120	0.0919
	GT15LC	149	Low		0.1033	-	0.0203	0.0075	0.0052	0.1160	0.0957	0.1120	-	0.0201	-	-	0.1120	0.0919
	GT15HU	1,119	High	Uncontrolled	0.1701	-	0.0335	0.0075	0.0052	0.1828	0.1493	0.1780	-	0.0319	-	-	0.1780	0.1461
	GT15LU	1,261	Low		0.1701	-	0.0335	0.0075	0.0052	0.1828	0.1493	0.1780	-	0.0319	-	-	0.1780	0.1461
	GT30HC	33	High	Controlled	0.1145	-	0.0225	0.0075	0.0052	0.1272	0.1047	0.1230	-	0.0220	-	-	0.1230	0.1010
	GT30LC	9	Low		0.1145	-	0.0225	0.0075	0.0052	0.1272	0.1047	0.1230	-	0.0220	-	-	0.1230	0.1010
	GT30HU	131	High	Uncontrolled	0.1356	-	0.0267	0.0075	0.0052	0.1483	0.1216	0.1420	-	0.0254	-	-	0.1420	0.1166
	GT30LU	44	Low		0.1356	-	0.0267	0.0075	0.0052	0.1483	0.1216	0.1420	-	0.0254	-	-	0.1420	0.1166
	GT70H	70	High	n/a	0.1022	-	0.0201	0.0075	0.0052	0.1149	0.0948	0.1130	-	0.0202	-	-	0.1130	0.0928
	GT70L	17	Low		0.1022	-	0.0201	0.0075	0.0052	0.1149	0.0948	0.1130	-	0.0202	-	-	0.1130	0.0928
	GT150H	24	High		0.0844	-	0.0166	0.0075	0.0052	0.0971	0.0805	0.0960	-	0.0172	-	-	0.0960	0.0788
	GT150L	1	Low		0.0844	-	0.0166	0.0075	0.0052	0.0971	0.0805	0.0960	-	0.0172	-	-	0.0960	0.0788
Dairy	DT15HC	12	High	Controlled	0.1033	-	0.0203	0.0075	0.0052	0.1160	0.0957	0.1120	-	0.0201	-	-	0.1120	0.0919
	DT15LC	6	Low		0.1033	-	0.0203	0.0075	0.0052	0.1160	0.0957	0.1120	-	0.0201	-	-	0.1120	0.0919
	DT15HU	12	High	Uncontrolled	0.1701	-	0.0335	0.0075	0.0052	0.1828	0.1493	0.1780	-	0.0319	-	-	0.1780	0.1461
	DT15LU	7	Low		0.1701	-	0.0335	0.0075	0.0052	0.1828	0.1493	0.1780	-	0.0319	-	-	0.1780	0.1461
	DT30HC	27	High	Controlled	0.0978	-	0.0192	0.0075	0.0052	0.1105	0.0913	0.1095	-	0.0196	-	-	0.1095	0.0899
	DT30LC	11	Low		0.0978	-	0.0192	0.0075	0.0052	0.1105	0.0913	0.1095	-	0.0196	-	-	0.1095	0.0899
	DT30HU	25	High	Uncontrolled	0.1145	-	0.0225	0.0075	0.0052	0.1272	0.1047	0.1260	-	0.0226	-	-	0.1260	0.1034
	DT30LU	16	Low		0.1145	-	0.0225	0.0075	0.0052	0.1272	0.1047	0.1260	-	0.0226	-	-	0.1260	0.1034
	DT70H	116	High	n/a	0.0866	-	0.0170	0.0075	0.0052	0.0993	0.0823	0.0980	-	0.0176	-	-	0.0980	0.0804
	DT70L	137	Low		0.0866	-	0.0170	0.0075	0.0052	0.0993	0.0823	0.0980	-	0.0176	-	-	0.0980	0.0804
	DT150H	14	High		0.0699	-	0.0137	0.0075	0.0052	0.0826	0.0689	0.0820	-	0.0147	-	-	0.0820	0.0673
	DT150L	34	Low		0.0699	-	0.0137	0.0075	0.0052	0.0826	0.0689	0.0820	-	0.0147	-	-	0.0820	0.0673
Temporary Accommodation	TT15HC	192	High	Controlled	0.1033	-	0.0203	0.0075	0.0052	0.1160	0.0957	0.1120	-	0.0201	-	-	0.1120	0.0919
	TT15LC	110	Low		0.1033	-	0.0203	0.0075	0.0052	0.1160	0.0957	0.1120	-	0.0201	-	-	0.1120	0.0919
	TT15HU	90	High	Uncontrolled	0.1701	-	0.0335	0.0075	0.0052	0.1828	0.1493	0.1780	-	0.0319	-	-	0.1780	0.1461
	TT15LU	193	Low		0.1701	-	0.0335	0.0075	0.0052	0.1828	0.1493	0.1780	-	0.0319	-	-	0.1780	0.1461
	TT30HC	4	High	Controlled	0.1117	-	0.0220	0.0075	0.0052	0.1244	0.1024	0.1230	-	0.0220	-	-	0.1230	0.1010
	TT30LC	-	Low		0.1117	-	0.0220	0.0075	0.0052	0.1244	0.1024	0.1230	-	0.0220	-	-	0.1230	0.1010
	TT30HU	9	High	Uncontrolled	0.1311	-	0.0258	0.0075	0.0052	0.1438	0.1180	0.1420	-	0.0254	-	-	0.1420	0.1166
	TT30LU	2	Low		0.1311	-	0.0258	0.0075	0.0052	0.1438	0.1180	0.1420	-	0.0254	-	-	0.1420	0.1166
	TT70H	3	High	n/a	0.0978	-	0.0192	0.0075	0.0052	0.1105	0.0913	0.1090	-	0.0195	-	-	0.1090	0.0895
	TT70L	1	Low		0.0978	-	0.0192	0.0075	0.0052	0.1105	0.0913	0.1090	-	0.0195	-	-	0.1090	0.0895
	TT150H	1	High		0.0811	-	0.0159	0.0075	0.0052	0.0938	0.0779	0.0920	-	0.0165	-	-	0.0920	0.0755
	TT150L	1	Low		0.0811	-	0.0159	0.0075	0.0052	0.0938	0.0779	0.0920	-	0.0165	-	-	0.0920	0.0755

Shoulder Time of Use (T Code) \$ per kWh																		
Customer Group	Price Category Code	Number of ICPs	Density	Load	Previous Distribution Price	Previous TLC Discount*	Previous Transmission	Previous Pass-through	Previous Delivery	Previous Delivery less TLC Discount*	from 1 April 2024 Distribution Price	from 1 April 2024 TLC Discount*	from 1 April 2024 Transmission	from 1 April 2024 Pass-through	from 1 April 2024 Delivery	from 1 April 2024 Delivery less TLC Discount*		
Residential Low Fixed Charge	RTLFCHC	2,259	High	Controlled	0.1011	-	0.0199	0.0134	0.0004	0.1149	0.0950	0.1268	-	0.0244	0.0070	0.0012	0.1350	0.1106
	RTLFCLC	685	Low		0.1353	-	0.0266	0.0143	0.0004	0.1500	0.1234	0.1681	-	0.0353	0.0146	0.0025	0.1852	0.1499
	RTLFCHU	413	High	Uncontrolled	0.1011	-	0.0199	0.0134	0.0004	0.1149	0.0950	0.1268	-	0.0242	0.0070	0.0012	0.1350	0.1108
	RTLFCLU	209	Low		0.1353	-	0.0266	0.0143	0.0004	0.1500	0.1234	0.1681	-	0.0349	0.0146	0.0025	0.1852	0.1503
	RTSTDHC	2,074	High	Controlled	0.0821	-	0.0161	0.0075	0.0004	0.0900	0.0739	0.0940	-	0.0168	-	-	0.0940	0.0772
	RTSTDLC	1,010	Low		0.0821	-	0.0161	0.0075	0.0004	0.0900	0.0739	0.0940	-	0.0168	-	-	0.0940	0.0772
	RTSTDHU	349	High	Uncontrolled	0.0821	-	0.0161	0.0075	0.0004	0.0900	0.0739	0.0940	-	0.0168	-	-	0.0940	0.0772
	RTSTDLU	253	Low		0.0821	-	0.0161	0.0075	0.0004	0.0900	0.0739	0.0940	-	0.0168	-	-	0.0940	0.0772
Residential Standard	GT15HC	226	High	Controlled	0.0914	-	0.0180	0.0075	0.0004	0.0993	0.0813	0.1025	-	0.0184	-	-	0.1025	0.0841
	GT15LC	149	Low		0.0914	-	0.0180	0.0075	0.0004	0.0993	0.0813	0.1025	-	0.0184	-	-	0.1025	0.0841
	GT15HU	1,119	High	Uncontrolled	0.0914	-	0.0180	0.0075	0.0004	0.0993	0.0813	0.1025	-	0.0184	-	-	0.1025	0.0841
	GT15LU	1,261	Low		0.0914	-	0.0180	0.0075	0.0004	0.0993	0.0813	0.1025	-	0.0184	-	-	0.1025	0.0841
	GT30HC	33	High	Controlled	0.0782	-	0.0154	0.0075	0.0004	0.0861	0.0707	0.0900	-	0.0161	-	-	0.0900	0.0739
	GT30LC	9	Low		0.0782	-	0.0154	0.0075	0.0004	0.0861	0.0707	0.0900	-	0.0161	-	-	0.0900	0.0739
	GT30HU	131	High	Uncontrolled	0.0782	-	0.0154	0.0075	0.0004	0.0861	0.0707	0.0900	-	0.0161	-	-	0.0900	0.0739
	GT30LU	44	Low		0.0782	-	0.0154	0.0075	0.0004	0.0861	0.0707	0.0900	-	0.0161	-	-	0.0900	0.0739
General	GT70H	70	High	n/a	0.0727	-	0.0143	0.0075	0.0004	0.0806	0.0663	0.0820	-	0.0147	-	-	0.0820	0.0673
	GT70L	17	Low		0.0727	-	0.0143	0.0075	0.0004	0.0806	0.0663	0.0820	-	0.0147	-	-	0.0820	0.0673
	GT150H	24	High		0.0644	-	0.0127	0.0075	0.0004	0.0723	0.0596	0.0750	-	0.0134	-	-	0.0750	0.0616
	GT150L	1	Low		0.0644	-	0.0127	0.0075	0.0004	0.0723	0.0596	0.0750	-	0.0134	-	-	0.0750	0.0616
Dairy	DT15HC	12	High	Controlled	0.0865	-	0.0170	0.0075	0.0004	0.0944	0.0774	0.1025	-	0.0184	-	-	0.1025	0.0841
	DT15LC	6	Low		0.0865	-	0.0170	0.0075	0.0004	0.0944	0.0774	0.1025	-	0.0184	-	-	0.1025	0.0841
	DT15HU	12	High	Uncontrolled	0.0865	-	0.0170	0.0075	0.0004	0.0944	0.0774	0.1025	-	0.0184	-	-	0.1025	0.0841
	DT15LU	7	Low		0.0865	-	0.0170	0.0075	0.0004	0.0944	0.0774	0.1025	-	0.0184	-	-	0.1025	0.0841
	DT30HC	27	High	Controlled	0.0755	-	0.0148	0.0075	0.0004	0.0834	0.0686	0.0900	-	0.0161	-	-	0.0900	0.0739
	DT30LC	11	Low		0.0755	-	0.0148	0.0075	0.0004	0.0834	0.0686	0.0900	-	0.0161	-	-	0.0900	0.0739
	DT30HU	25	High	Uncontrolled	0.0755	-	0.0148	0.0075	0.0004	0.0834	0.0686	0.0900	-	0.0161	-	-	0.0900	0.0739
	DT30LU	16	Low		0.0755	-	0.0148	0.0075	0.0004	0.0834	0.0686	0.0900	-	0.0161	-	-	0.0900	0.0739
Temporary Accommodation	DT70H	116	High	n/a	0.0672	-	0.0132	0.0075	0.0004	0.0751	0.0619	0.0820	-	0.0147	-	-	0.0820	0.0673
	DT70L	137	Low		0.0672	-	0.0132	0.0075	0.0004	0.0751	0.0619	0.0820	-	0.0147	-	-	0.0820	0.0673
	DT150H	14	High		0.0617	-	0.0121	0.0075	0.0004	0.0696	0.0575	0.0750	-	0.0134	-	-	0.0750	0.0616
	DT150L	34	Low		0.0617	-	0.0121	0.0075	0.0004	0.0696	0.0575	0.0750	-	0.0134	-	-	0.0750	0.0616
	TT15HC	192	High	Controlled	0.0865	-	0.0170	0.0075	0.0004	0.0944	0.0774	0.1025	-	0.0184	-	-	0.1025	0.0841
	TT15LC	110	Low		0.0865	-	0.0170	0.0075	0.0004	0.0944	0.0774	0.1025	-	0.0184	-	-	0.1025	0.0841
	TT15HU	90	High	Uncontrolled	0.0865	-	0.0170	0.0075	0.0004	0.0944	0.0774	0.1025	-	0.0184	-	-	0.1025	0.0841
	TT15LU	193	Low		0.0865	-	0.0170	0.0075	0.0004	0.0944	0.0774	0.1025	-	0.0184	-	-	0.1025	0.0841
	TT30HC	4	High	Controlled	0.0755	-	0.0148	0.0075	0.0004	0.0834	0.0686	0.0900	-	0.0161	-	-	0.0900	0.0739
	TT30LC	-	Low		0.0755	-	0.0148	0.0075	0.0004	0.0834	0.0686	0.0900	-	0.0161	-	-	0.0900	0.0739
	TT30HU	9	High	Uncontrolled	0.0755	-	0.0148	0.0075	0.0004	0.0834	0.0686	0.0900	-	0.0161	-	-	0.0900	0.0739
	TT30LU	2	Low		0.0755	-	0.0148	0.0075	0.0004	0.0834	0.0686	0.0900	-	0.0161	-	-	0.0900	0.0739
	TT70H	3	High	n/a	0.0672	-	0.0132	0.0075	0.0004	0.0751	0.0619	0.0820	-	0.0147	-	-	0.0820	0.0673
	TT70L	1	Low		0.0672	-	0.0132	0.0075	0.0004	0.0751	0.0619	0.0820	-	0.0147	-	-	0.0820	0.0673
	TT150H	1	High		0.0617	-	0.0121	0.0075	0.0004	0.0696	0.0575	0.0750	-	0.0134	-	-	0.0750	0.0616
	TT150L	1	Low		0.0617	-	0.0121	0.0075	0.0004	0.0696	0.0575	0.0750	-	0.0134	-	-	0.0750	0.0616

Off Peak Time of Use (T Code) \$ per kWh																		
Customer Group	Price Category Code	Number of ICPs	Density	Load	Previous Distribution Price	Previous TLC Discount*	Previous Transmission	Previous Pass-through	Previous Delivery	Previous Delivery less TLC Discount*	from 1 April 2024 Distribution Price	from 1 April 2024 TLC Discount*	from 1 April 2024 Transmission	from 1 April 2024 Pass-through	from 1 April 2024 Delivery	from 1 April 2024 Delivery less TLC Discount*		
Residential Low Fixed Charge	RTLFCHC	2,259	High	Controlled	0.0668	-	0.0131	0.0134	0.0004	0.0806	0.0675	0.0573	-	0.0110	0.0070	0.0012	0.0655	0.0545
	RTLFCLC	685	Low		0.1010	-	0.0199	0.0143	0.0004	0.1157	0.0958	0.0986	-	0.0207	0.0146	0.0025	0.1157	0.0950
	RTLFCHU	413	High	Uncontrolled	0.0668	-	0.0131	0.0134	0.0004	0.0806	0.0675	0.0573	-	0.0109	0.0070	0.0012	0.0655	0.0546
	RTLFCLU	209	Low		0.1010	-	0.0199	0.0143	0.0004	0.1157	0.0958	0.0986	-	0.0205	0.0146	0.0025	0.1157	0.0952
	RTSTDHC	2,074	High	Controlled	0.0478	-	0.0094	0.0075	0.0004	0.0557	0.0463	0.0245	-	0.0044	-	-	0.0245	0.0201
	RTSTDLC	1,010	Low		0.0478	-	0.0094	0.0075	0.0004	0.0557	0.0463	0.0245	-	0.0044	-	-	0.0245	0.0201
	RTSTDHU	349	High	Uncontrolled	0.0478	-	0.0094	0.0075	0.0004	0.0557	0.0463	0.0245	-	0.0044	-	-	0.0245	0.0201
	RTSTDLU	253	Low		0.0478	-	0.0094	0.0075	0.0004	0.0557	0.0463	0.0245	-	0.0044	-	-	0.0245	0.0201
Residential Standard	GT15HC	226	High	Controlled	0.0490	-	0.0096	0.0075	0.0004	0.0569	0.0473	0.0245	-	0.0044	-	-	0.0245	0.0201
	GT15LC	149	Low		0.0490	-	0.0096	0.0075	0.0004	0.0569	0.0473	0.0245	-	0.0044	-	-	0.0245	0.0201
	GT15HU	1,119	High	Uncontrolled	0.0490	-	0.0096	0.0075	0.0004	0.0569	0.0473	0.0245	-	0.0044	-	-	0.0245	0.0201
	GT15LU	1,261	Low		0.0490	-	0.0096	0.0075	0.0004	0.0569	0.0473	0.0245	-	0.0044	-	-	0.0245	0.0201
	GT30HC	33	High	Controlled	0.0462	-	0.0091	0.0075	0.0004	0.0541	0.0450	0.0245	-	0.0044	-	-	0.0245	0.0201
	GT30LC	9	Low		0.0462	-	0.0091	0.0075	0.0004	0.0541	0.0450	0.0245	-	0.0044	-	-	0.0245	0.0201
	GT30HU	131	High	Uncontrolled	0.0462	-	0.0091	0.0075	0.0004	0.0541	0.0450	0.0245	-	0.0044	-	-	0.0245	0.0201
	GT30LU	44	Low		0.0462	-	0.0091	0.0075	0.0004	0.0541	0.0450	0.0245	-	0.0044	-	-	0.0245	0.0201
General	GT70H	70	High	n/a	0.0462	-	0.0091	0.0075	0.0004	0.0541	0.0450	0.0245	-	0.0044	-	-	0.0245	0.0201
	GT70L	17	Low		0.0462	-	0.0091	0.0075	0.0004	0.0541	0.0450	0.0245	-	0.0044	-	-	0.0245	0.0201
	GT150H	24	High		0.0462	-	0.0091	0.0075	0.0004	0.0541	0.0450	0.0245	-	0.0044	-	-	0.0245	0.0201
	GT150L	1	Low		0.0462	-	0.0091	0.0075	0.0004	0.0541	0.0450	0.0245	-	0.0044	-	-	0.0245	0.0201
Dairy	DT15HC	12	High	Controlled	0.0490	-	0.0096	0.0075	0.0004	0.0569	0.0473	0.0245	-	0.0044	-	-	0.0245	0.0201
	DT15LC	6	Low		0.0490	-	0.0096	0.0075	0.0004	0.0569	0.0473	0.0245	-	0.0044	-	-	0.0245	0.0201
	DT15HU	12	High	Uncontrolled	0.0490	-	0.0096	0.0075	0.0004	0.0569	0.0473	0.0245	-	0.0044	-	-	0.0245	0.0201
	DT15LU	7	Low		0.0490	-	0.0096	0.0075	0.0004	0.0569	0.0473	0.0245	-	0.0044	-	-	0.0245	0.0201
	DT30HC	27	High	Controlled	0.0462	-	0.0091	0.0075	0.0004	0.0541	0.0450	0.0245	-	0.0044	-	-	0.0245	0.0201
	DT30LC	11	Low		0.0462	-	0.0091	0.0075	0.0004	0.0541	0.0450	0.0245	-	0.0044	-	-	0.0245	0.0201
	DT30HU	25	High	Uncontrolled	0.0462	-	0.0091	0.0075	0.0004	0.0541	0.0450	0.0245	-	0.0044	-	-	0.0245	0.0201
	DT30LU	16	Low		0.0462	-	0.0091	0.0075	0.0004	0.0541	0.0450	0.0245	-	0.0044	-	-	0.0245	0.0201
Temporary Accommodation	DT70H	116	High	n/a	0.0462	-	0.0091	0.0075	0.0004	0.0541	0.0450	0.0245	-	0.0044	-	-	0.0245	0.0201
	DT70L	137	Low		0.0462	-	0.0091	0.0075	0.0004	0.0541	0.0450	0.0245	-	0.0044	-	-	0.0245	0.0201
	DT150H	14	High		0.0462	-	0.0091	0.0075	0.0004	0.0541	0.0450	0.0245	-	0.0044	-	-	0.0245	0.0201
	DT150L	34	Low		0.0462	-	0.0091	0.0075	0.0004	0.0541	0.0450	0.0245	-	0.0044	-	-	0.0245	0.0201
	TT15HC	192	High	Controlled	0.0490	-	0.0096	0.0075	0.0004	0.0569	0.0473	0.0245	-	0.0044	-	-	0.0245	0.0201
	TT15LC	110	Low		0.0490	-	0.0096	0.0075	0.0004	0.0569	0.0473	0.0245	-	0.0044	-	-	0.0245	0.0201
	TT15HU	90	High	Uncontrolled	0.0490	-	0.0096	0.0075	0.0004	0.0569	0.0473	0.0245	-	0.0044	-	-	0.0245	0.0201
	TT15LU	193	Low		0.0490	-	0.0096	0.0075	0.0004	0.0569	0.0473	0.0245	-	0.0044	-	-	0.0245	0.0201
	TT30HC	4	High	Controlled	0.0462	-	0.0091	0.0075	0.0004	0.0541	0.0450	0.0245	-	0.0044	-	-	0.0245	0.0201
	TT30LC	-	Low		0.0462	-	0.0091	0.0075	0.0004	0.0541	0.0450	0.0245	-	0.0044	-	-	0.0245	0.0201
	TT30HU	9	High	Uncontrolled	0.0462	-	0.0091	0.0075	0.0004	0.0541	0.0450	0.0245	-	0.0044	-	-	0.0245	0.0201
	TT30LU	2	Low		0.0462	-	0.0091	0.0075	0.0004	0.0541	0.0450	0.0245	-	0.0044	-	-	0.0245	0.0201
	TT70H	3	High	n/a	0.0462	-	0.0091	0.0075	0.0004	0.0541	0.0450	0.0245	-	0.0044	-	-	0.0245	0.0201
	TT70L	1	Low		0.0462	-	0.0091	0.0075	0.0004	0.0541	0.0450	0.0245	-	0.0044	-	-	0.0245	0.0201
	TT150H	1	High		0.0462	-	0.0091	0.0075	0.0004	0.0541	0.0450	0.0245	-	0.0044	-	-	0.0245	0.0201
	TT150L	1	Low		0.0462	-	0.0091	0.0075	0.0004	0.0541	0.0450	0.0245	-	0.0044	-	-	0.0245	0.0201

Daily Anytime (N Code) \$ per Day																		
Customer Group	Price Category Code	Number of ICPs	Density	Load	Previous Distribution Price	Previous TLC Discount*	Previous Transmission	Previous Pass-through	Previous Delivery	Previous Delivery less TLC Discount*	from 1 April 2024 Distribution Price	from 1 April 2024 TLC Discount*	from 1 April 2024 Transmission	from 1 April 2024 Pass-through	from 1 April 2024 Delivery	from 1 April 2024 Delivery less TLC Discount*		
Residential Low Fixed Charge	RNLFCHC	30	High	Controlled	0.4500	-	0.0885	-	-	0.4500	0.3615	0.4182	-	0.1089	0.1551	0.0267	0.6000	0.4911
	RNLFCLC	7	Low		0.4500	-	0.0885	-	-	0.4500	0.3615	0.4576	-	0.1192	0.1215	0.0209	0.6000	0.4808
	RNLFCHU	2	High	Uncontrolled	0.4500	-	0.0885	-	-	0.4500	0.3615	0.4182	-	0.1089	0.1551	0.0267	0.6000	0.4911
	RNLFCLU	3	Low		0.4500	-	0.0885	-	-	0.4500	0.3615	0.4576	-	0.1192	0.1215	0.0209	0.6000	0.4808
	RNSTDHC	31	High	Controlled	0.8663	-	0.1704	0.1300	-	0.9963	0.8259	1.0455	-	0.2723	0.3877	0.0668	1.5000	1.2277
	RNSTDLC	6	Low		1.6170	-	0.3180	0.1500	-	1.7670	1.4490	1.9830	-	0.5164	0.5263	0.0907	2.6000	2.0836
	RNSTDHU	-	High	Uncontrolled	0.8663	-	0.1704	0.1300	-	0.9963	0.8259	1.0455	-	0.2723	0.3877	0.0668	1.5000	1.2277
	RNSTDLU	2	Low		1.6170	-	0.3180	0.1500	-	1.7670	1.4490	1.9830	-	0.5164	0.5263	0.0907	2.6000	2.0836
General	GN15HC	5	High	Controlled	1.4835	-	0.2917	0.1294	-	1.6129	1.3212	1.6921	-	0.4407	0.3906	0.0673	2.1500	1.7093
	GN15LC	1	Low		2.1016	-	0.4133	0.1057	-	2.2073	1.7940	2.3733	-	0.6181	0.4493	0.0774	2.9000	2.2819
	GN15HU	26	High	Uncontrolled	1.4835	-	0.2917	0.1294	-	1.6129	1.3212	1.6921	-	0.4407	0.3906	0.0673	2.1500	1.7093
	GN15LU	29	Low		2.1016	-	0.4133	0.1057	-	2.2073	1.7940	2.3733	-	0.6181	0.4493	0.0774	2.9000	2.2819
	GN30HC	1	High	Controlled	2.9670	-	0.5835	0.7118	-	3.6788	3.0953	3.0764	-	0.8012	1.2143	0.2093	4.5000	3.6988
	GN30LC	-	Low		3.8942	-	0.7658	0.6219	-	4.5161	3.7503	3.9510	-	1.0289	1.3213	0.2277	5.5000	4.4711
	GN30HU	5	High	Uncontrolled	2.9670	-	0.5835	0.7118	-	3.6788	3.0953	3.0764	-	0.8012	1.2143	0.2093	4.5000	3.6988
	GN30LU	-	Low		3.8942	-	0.7658	0.6219	-	4.5161	3.7503	3.9510	-	1.0289	1.3213	0.2277	5.5000	4.4711
	GN70H	4	High	n/a	6.6758	-	1.3129	1.5016	-	8.1774	6.8645	6.9088	-	1.7992	2.6368	0.4544	10.0000	8.2008
	GN70L	-	Low		8.9010	-	1.7505	1.4427	-	10.3437	8.5932	8.8642	-	2.3084	3.1013	0.5345	12.5000	10.1916
	GN150H	-	High		13.9079	-	2.7351	4.5830	-	18.4909	15.7558	15.5199	-	4.0418	5.5275	0.9526	22.0000	17.9582
	GN150L	-	Low		18.2965	-	3.5982	4.3097	-	22.6062	19.0080	19.2890	-	5.0233	6.1510	1.0600	26.5000	21.4767
Dairy	DN15HC	-	High	Controlled	1.3860	-	0.2726	0.3413	-	1.7273	1.4547	1.6921	-	0.4407	0.3906	0.0673	2.1500	1.7093
	DN15LC	-	Low		1.9635	-	0.3861	0.4321	-	2.3956	2.0095	2.3733	-	0.6181	0.4493	0.0774	2.9000	2.2819
	DN15HU	-	High	Uncontrolled	1.3860	-	0.2726	0.3413	-	1.7273	1.4547	1.6921	-	0.4407	0.3906	0.0673	2.1500	1.7093
	DN15LU	-	Low		1.9635	-	0.3861	0.4321	-	2.3956	2.0095	2.3733	-	0.6181	0.4493	0.0774	2.9000	2.2819
	DN30HC	-	High	Controlled	2.7143	-	0.5338	1.2192	-	3.9335	3.3997	3.0764	-	0.8012	1.2143	0.2093	4.5000	3.6988
	DN30LC	-	Low		3.5228	-	0.6928	1.3213	-	4.8441	4.1513	3.9510	-	1.0289	1.3213	0.2277	5.5000	4.4711
	DN30HU	1	High	Uncontrolled	2.7143	-	0.5338	1.2192	-	3.9335	3.3997	3.0764	-	0.8012	1.2143	0.2093	4.5000	3.6988
	DN30LU	-	Low		3.5228	-	0.6928	1.3213	-	4.8441	4.1513	3.9510	-	1.0289	1.3213	0.2277	5.5000	4.4711
	DN70H	1	High	n/a	5.9483	-	1.1698	2.1830	-	8.1313	6.9615	6.9088	-	1.7992	2.6368	0.4544	10.0000	8.2008
	DN70L	-	Low		7.9118	-	1.5559	2.4621	-	10.3739	8.8180	8.8642	-	2.3084	3.1013	0.5345	12.5000	10.1916
	DN150H	-	High		12.4163	-	2.4418	3.5548	-	15.9711	13.5293	15.0199	-	3.9115	5.5275	0.9526	21.5000	17.5885
	DN150L	1	Low		16.1700	-	3.1800	4.7031	-	20.8731	17.6931	19.0390	-	4.9582	6.1510	1.0600	26.2500	21.2918
Temporary Accommodation	TN15HC	1	High	Controlled	2.2444	-	0.4414	0.0997	-	2.3441	1.9027	2.5421	-	0.6620	0.3906	0.0673	3.0000	2.3380
	TN15LC	1	Low		3.1894	-	0.6272	0.0854	-	3.2748	2.6476	3.4733	-	0.9045	0.4493	0.0774	4.0000	3.0955
	TN15HU	2	High	Uncontrolled	2.2444	-	0.4414	0.0997	-	2.3441	1.9027	2.5421	-	0.6620	0.3906	0.0673	3.0000	2.3380
	TN15LU	3	Low		3.1894	-	0.6272	0.0854	-	3.2748	2.6476	3.4733	-	0.9045	0.4493	0.0774	4.0000	3.0955
	TN30HC	-	High	Controlled	4.5478	-	0.8944	0.4204	-	4.9682	4.0738	4.5764	-	1.1918	1.2143	0.2093	6.0000	4.8082
	TN30LC	-	Low		5.9653	-	1.1731	0.4133	-	6.3786	5.2055	5.9510	-	1.5498	1.3213	0.2277	7.5000	5.9502
	TN30HU	-	High	Uncontrolled	4.5478	-	0.8944	0.4204	-	4.9682	4.0738	4.5764	-	1.1918	1.2143	0.2093	6.0000	4.8082
	TN30LU	-	Low		5.9653	-	1.1731	0.4133	-	6.3786	5.2055	5.9510	-	1.5498	1.3213	0.2277	7.5000	5.9502
	TN70H	-	High	n/a	10.0406	-	1.9746	1.3510	-	11.3916	9.4170	9.2088	-	2.3982	2.6368	0.4544	12.3000	9.9018
	TN70L	-	Low		13.4072	-	2.6367	0.7744	-	14.1816	11.5449	11.6642	-	3.0376	3.1013	0.5345	15.3000	12.2624
	TN150H	-	High		20.6719	-	4.0653	3.5335	-	24.2054	20.1401	19.5199	-	5.0834	5.5275	0.9526	26.0000	20.9166
	TN150L	-	Low		27.7594	-	5.4591	2.2692	-	30.0286	24.5695	24.7890	-	6.4556	6.1510	1.0600	32.0000	25.5444

Anytime (N Code) \$ per kWh																		
Customer Group	Price Category Code	Number of ICPs	Density	Load	Previous Distribution Price	Previous TLC Discount*	Previous Transmission	Previous Pass-through	Previous Delivery	Previous Delivery less TLC Discount*	from 1 April 2024 Distribution Price	from 1 April 2024 TLC Discount*	from 1 April 2024 Transmission	from 1 April 2024 Pass-through	from 1 April 2024 Delivery	from 1 April 2024 Delivery less TLC Discount*		
Residential Low Fixed Charge	RNLFCHC	30	High	Controlled	0.1055	-	0.0208	0.0134	0.0020	0.1209	0.1001	0.1170	-	0.0224	0.0070	0.0006	0.1246	0.1022
	RNLFCLC	7	Low		0.1397	-	0.0275	0.0143	0.0020	0.1560	0.1285	0.1580	-	0.0331	0.0146	0.0022	0.1748	0.1417
	RNLFCHU	2	High	Uncontrolled	0.1259	-	0.0248	0.0134	0.0020	0.1413	0.1165	0.1363	-	0.0258	0.0070	0.0006	0.1439	0.1181
	RNLFCLU	3	Low		0.1601	-	0.0315	0.0143	0.0020	0.1764	0.1449	0.1773	-	0.0365	0.0146	0.0022	0.1941	0.1576
	RNSTDHCH	31	High	Controlled	0.0865	-	0.0170	0.0075	0.0020	0.0960	0.0790	0.0836	-	0.0150	-	-	0.0836	0.0686
	RNSTDLC	6	Low		0.0865	-	0.0170	0.0075	0.0020	0.0960	0.0790	0.0836	-	0.0150	-	-	0.0836	0.0686
	RNSTDHU	-	High	Uncontrolled	0.1069	-	0.0210	0.0075	0.0020	0.1164	0.0954	0.1029	-	0.0184	-	-	0.1029	0.0845
	RNSTDLU	2	Low		0.1069	-	0.0210	0.0075	0.0020	0.1164	0.0954	0.1029	-	0.0184	-	-	0.1029	0.0845
Residential Standard	GN15HC	5	High	Controlled	0.0903	-	0.0178	0.0075	0.0020	0.0998	0.0820	0.0876	-	0.0157	-	-	0.0876	0.0719
	GN15LC	1	Low		0.0903	-	0.0178	0.0075	0.0020	0.0998	0.0820	0.0876	-	0.0157	-	-	0.0876	0.0719
	GN15HU	26	High	Uncontrolled	0.1148	-	0.0226	0.0075	0.0020	0.1243	0.1017	0.1118	-	0.0200	-	-	0.1118	0.0918
	GN15LU	29	Low		0.1148	-	0.0226	0.0075	0.0020	0.1243	0.1017	0.1118	-	0.0200	-	-	0.1118	0.0918
	GN30HC	1	High	Controlled	0.0885	-	0.0174	0.0075	0.0020	0.0980	0.0806	0.0871	-	0.0156	-	-	0.0871	0.0715
	GN30LC	-	Low		0.0885	-	0.0174	0.0075	0.0020	0.0980	0.0806	0.0871	-	0.0156	-	-	0.0871	0.0715
	GN30HU	5	High	Uncontrolled	0.0963	-	0.0189	0.0075	0.0020	0.1058	0.0869	0.0941	-	0.0168	-	-	0.0941	0.0773
	GN30LU	-	Low		0.0963	-	0.0189	0.0075	0.0020	0.1058	0.0869	0.0941	-	0.0168	-	-	0.0941	0.0773
General	GN70H	4	High	n/a	0.0820	-	0.0161	0.0075	0.0020	0.0915	0.0754	0.0805	-	0.0144	-	-	0.0805	0.0661
	GN70L	-	Low		0.0820	-	0.0161	0.0075	0.0020	0.0915	0.0754	0.0805	-	0.0144	-	-	0.0805	0.0661
	GN150H	-	High		0.0725	-	0.0143	0.0075	0.0020	0.0820	0.0677	0.0717	-	0.0128	-	-	0.0717	0.0589
	GN150L	-	Low		0.0725	-	0.0143	0.0075	0.0020	0.0820	0.0677	0.0717	-	0.0128	-	-	0.0717	0.0589
	DN15HC	-	High	Controlled	0.0885	-	0.0174	0.0075	0.0020	0.0980	0.0806	0.0876	-	0.0157	-	-	0.0876	0.0719
	DN15LC	-	Low		0.0885	-	0.0174	0.0075	0.0020	0.0980	0.0806	0.0876	-	0.0157	-	-	0.0876	0.0719
	DN15HU	-	High	Uncontrolled	0.1130	-	0.0222	0.0075	0.0020	0.1225	0.1003	0.1118	-	0.0200	-	-	0.1118	0.0918
	DN15LU	-	Low		0.1130	-	0.0222	0.0075	0.0020	0.1225	0.1003	0.1118	-	0.0200	-	-	0.1118	0.0918
	DN30HC	-	High	Controlled	0.0814	-	0.0160	0.0075	0.0020	0.0909	0.0749	0.0821	-	0.0147	-	-	0.0821	0.0674
	DN30LC	-	Low		0.0814	-	0.0160	0.0075	0.0020	0.0909	0.0749	0.0821	-	0.0147	-	-	0.0821	0.0674
	DN30HU	1	High	n/a	0.0876	-	0.0172	0.0075	0.0020	0.0971	0.0799	0.0882	-	0.0158	-	-	0.0882	0.0724
	DN30LU	-	Low		0.0876	-	0.0172	0.0075	0.0020	0.0971	0.0799	0.0882	-	0.0158	-	-	0.0882	0.0724
	DN70H	1	High		0.0743	-	0.0146	0.0075	0.0020	0.0838	0.0692	0.0750	-	0.0134	-	-	0.0750	0.0616
	DN70L	-	Low		0.0743	-	0.0146	0.0075	0.0020	0.0838	0.0692	0.0750	-	0.0134	-	-	0.0750	0.0616
	DN150H	-	High	n/a	0.0661	-	0.0130	0.0075	0.0020	0.0756	0.0626	0.0666	-	0.0119	-	-	0.0666	0.0547
	DN150L	1	Low		0.0661	-	0.0130	0.0075	0.0020	0.0756	0.0626	0.0666	-	0.0119	-	-	0.0666	0.0547
Temporary Accommodation	TN15HC	1	High	Controlled	0.0885	-	0.0174	0.0075	0.0020	0.0980	0.0806	0.0876	-	0.0157	-	-	0.0876	0.0719
	TN15LC	1	Low		0.0885	-	0.0174	0.0075	0.0020	0.0980	0.0806	0.0876	-	0.0157	-	-	0.0876	0.0719
	TN15HU	2	High	Uncontrolled	0.1130	-	0.0222	0.0075	0.0020	0.1225	0.1003	0.1118	-	0.0200	-	-	0.1118	0.0918
	TN15LU	3	Low		0.1130	-	0.0222	0.0075	0.0020	0.1225	0.1003	0.1118	-	0.0200	-	-	0.1118	0.0918
	TN30HC	-	High	Controlled	0.0865	-	0.0170	0.0075	0.0020	0.0960	0.0790	0.0871	-	0.0156	-	-	0.0871	0.0715
	TN30LC	-	Low		0.0865	-	0.0170	0.0075	0.0020	0.0960	0.0790	0.0871	-	0.0156	-	-	0.0871	0.0715
	TN30HU	-	High	Uncontrolled	0.0936	-	0.0184	0.0075	0.0020	0.1031	0.0847	0.0941	-	0.0168	-	-	0.0941	0.0773
	TN30LU	-	Low		0.0936	-	0.0184	0.0075	0.0020	0.1031	0.0847	0.0941	-	0.0168	-	-	0.0941	0.0773
	TN70H	-	High	n/a	0.0784	-	0.0154	0.0075	0.0020	0.0879	0.0725	0.0790	-	0.0142	-	-	0.0790	0.0648
	TN70L	-	Low		0.0784	-	0.0154	0.0075	0.0020	0.0879	0.0725	0.0790	-	0.0142	-	-	0.0790	0.0648
	TN150H	-	High		0.0703	-	0.0138	0.0075	0.0020	0.0798	0.0660	0.0702	-	0.0126	-	-	0.0702	0.0576
	TN150L	-	Low		0.0703	-	0.0138	0.0075	0.0020	0.0798	0.0660	0.0702	-	0.0126	-	-	0.0702	0.0576